Listing of Claims:

1. (Currently Amended) A method for providing page description language ("PDL")

encapsulated image data from an imaging device that includes a scanner, the method comprising:

scanning an image using the scanner to produce image data;

obtaining document formatting inputs from a user interface, the document formatting inputs

being configurable at the user interface;

encapsulating the image data in a page description language using the document formatting

inputs for document formatting, wherein the encapsulating occurs at the imaging

device, and wherein the formatting inputs control how the image data is framed into a

document defined by the page description language; and

transmitting the page description language to a computing device from the imaging device.

2. (Original) The method of claim 1, wherein the document formatting inputs are obtained from

a control panel on the imaging device.

3. (Original) The method of claim 1, wherein the document formatting inputs are obtained from

a local user interface.

4. (Original) The method of claim 1, wherein the document formatting inputs are obtained from

a remote user interface.

5. (Canceled)

6. (Original) The method of claim 1, wherein the imaging device is a multi-function peripheral.

Page 2 of 14

Appl. No. 10/787,365

Amdt. dated February 25, 2009

Reply to Office Action of November 25, 2008

7. (Original) The method of claim 1, wherein the document formatting inputs comprise a page

size input, a scale input, a placement input, a pagination input, a number of images per page input, a

page order input, a document style input, a post collation operations input, a page delimitation input,

an orientation input and a margins input.

8. (Original) The method of claim 1, wherein the imaging device comprises a multi-function

peripheral, wherein the document formatting inputs are obtained from a control panel on the multi-

function peripheral and wherein the control panel is also used for a user input for a copy function of

the multi-function peripheral.

9. (Original) The method of claim 1, wherein the page description language is a language

selected from the group consisting of a portable document format (PDF), postscript (PS), printer

control language (PCL), HP GL/2, IBM IPDS, IBM SCS, Epson EscP and DDIF.

10. (Original) The method of claim 1, wherein the page description language comprises

document wide properties, page delimitation properties, page properties and one or more drawing

elements.

Page 3 of 14

11. (Currently Amended) An imaging device that comprises a scanner, wherein the imaging device provides page description language ("PDL") encapsulated image data, the imaging device comprising:

a processor for control of the imaging device;

memory in electronic communication with the processor;

a scanner in electronic communication with the processor;

a control panel for operation of the imaging device by a user, wherein the control panel is in

electronic communication with the processor for receiving user inputs; and

executable instructions executable by the processor, wherein the instructions are executable

to:

scan an image using the scanner to produce image data;

obtain document formatting inputs from the control panel, the document formatting inputs being configurable at the control panel; and

encapsulate the image data in a page description language using the document formatting inputs for document formatting, wherein the encapsulating occurs at the imaging device, and wherein the formatting inputs control how the image data is framed into a document defined by the page description language.

12. (Canceled)

13. (Original) The imaging device of claim 11, wherein the document formatting inputs comprise a page size input, a scale input, a placement input, a pagination input, a number of images per page input, a page order input, a document style input, a post collation operations input, a page delimitation input, an orientation input and a margins input.

Reply to Office Action of November 25, 2008

14. (Original) The imaging device of claim 11, wherein the imaging device is a multi-function

peripheral imaging device that further comprises a printer in electronic communication with the

processor, and wherein the control panel is also used for a user input for a copy function of the multi-

function peripheral imaging device.

15. (Original) The imaging device of claim 11, wherein the page description language is a

language selected from the group consisting of a portable document format (PDF), postscript (PS),

printer control language (PCL), HP GL/2, IBM IPDS, IBM SCS, Epson EscP and DDIF.

16. (Original) The imaging device of claim 11, wherein the page description language comprises

document wide properties, page delimitation properties, page properties and one or more drawing

elements.

17. (Currently Amended) A computer-readable medium for storing program data, wherein the

program data comprises executable instructions for implementing a method in a computing device

for providing page description language ("PDL") encapsulated image data from an imaging device

that includes a scanner, the instructions being executable to:

obtain image data at an imaging device;

obtain document formatting inputs from a user interface, the document formatting inputs

being configurable at the user interface;

encapsulate the image data in a page description language using the document formatting

inputs for document formatting, wherein the encapsulating occurs at the imaging

device, and wherein the formatting inputs control how the image data is framed into a

document defined by the page description language; and

transmit the page description language to a computing device from the imaging device.

Page 5 of 14

Appl. No. 10/787,365

Amdt. dated February 25, 2009

Reply to Office Action of November 25, 2008

18. (Original) The computer-readable medium of claim 17, wherein the image data is obtained

from a scanner of the imaging device.

19. (Original) The computer-readable medium of claim 18, wherein the document formatting

inputs are obtained from a control panel on the imaging device.

20. (Original) The computer-readable medium of claim 18, wherein the document formatting

inputs are obtained from a local user interface.

21. (Original) The computer-readable medium of claim 18, wherein the document formatting

inputs are obtained from a remote user interface.

22. (Canceled)

23. (Original) The computer-readable medium of claim 19, wherein the imaging device is a

multi-function peripheral.

24. (Original) The computer-readable medium of claim 19, wherein the document formatting

inputs comprise a page size input, a scale input, a placement input, a pagination input, a number of

images per page input, a page order input, a document style input, a post collation operations input, a

page delimitation input, an orientation input and a margins input.

25. (Original) The computer-readable medium of claim 17, wherein the imaging device

comprises a multi-function peripheral, wherein the document formatting inputs are obtained from a

control panel on the multi-function peripheral and wherein the control panel is also used for a user

input for a copy function of the multi-function peripheral.

Page 6 of 14

Appl. No. 10/787,365

Amdt. dated February 25, 2009

Reply to Office Action of November 25, 2008

26. (Original) The computer-readable medium of claim 17, wherein the page description language is a language selected from the group consisting of a portable document format (PDF), postscript (PS), printer control language (PCL), HP GL/2, IBM IPDS, IBM SCS, Epson EscP and DDIF.

27. (Original) The computer-readable medium of claim 17, wherein the page description language comprises document wide properties, page delimitation properties, page properties and one or more drawing elements.